









whether you choose the traditional aft cockpit or the more contemporary Deck Salon (DS) version, be prepared for exceptional sailing ease and performance. From heavy air to gentle breezes or from full speed ahead to slow reverse, the Hunter 41 will astound you with a perfectly balanced helm, surprising responsiveness, and unbelievably easy sail handling. It's the big boat that maneuvers like a small one, with plenty of space for entertaining.

Inside, the efficient two cabin layout provides luxurious accommodations with fully equipped private staterooms at both ends. Or if you prefer, the tri-cabin cabin version splits the standard single aft stateroom into two smaller ones. The popular Deck Salon option raises the cabin house to provide nearly seven feet of interior headroom. The extra space, combined with panoramic views from oversized windows, imports the beauty of your sailing environment to the comfort of the interior.

Liberate your culinary talents in an expansive galley laid out for comfort and convenience. Front opening refrigeration installed under the counter preserves the beauty and utility of the continuous Corian® surface accented with under-mounted stainless sinks and a protective acrylic splashguard. Storage space abounds with a 10 cubic foot pantry that includes adjustable shelving and 4 deep drawers.

Like all Hunters, quality components and easy systems access reduce maintenance time so you can relax. Whatever destinations your cruising plans include, the Hunter 41 is built to take you there safely in comfort and style.

































Spacifications

<u>Specifications</u>		
Length Overall	40'4"	12.29 m
Hull Length	38'8"	11.76 m
Waterline Length	35'6"	10.82 m
Beam	13'3"	4.04 m
Draft (Shoal)	5′0″	1.52 m
Draft (Deep)	6'6"	1.98 m
Displacement	19,400 lbs	8,800kg
Ballast (Shoal)	6,616 lbs	3,004 kg
Ballast (Deep)	6,506 lbs	2,951 kg
Mast Height (Standard)	60'2"	18.34 m
Mast Height (Furling)	62'10"	19.15 m
Sail Area (Standard)	940 ft sq	87.33 m sq
Sail Area (Furling)	843 ft sq	78.32 m sq
Sail Area — (Futing w/Vertical Battens)	926 ft sq	6.03 m sq
I	51'6"	15.72 m
J	13'0"	3.96 m
P (Standard)	48′7″	14.82 m
P (Furling)	50'8"	15.46 m
E (Standard)	18'3"	5.56 m
E (Furling)	19'6"	5.95 m
Headroom (STD)	6′7″	2.13 m
Fuel Capacity	36 gal	136 L
Fuel Capacity (Optional)	50 gal	189 L
Water Capacity	100 gal	78 L
Holding Tank Capacity	35 gal	132 L
Water Heater	11 gal	42 L
Inboard Engine	40 HP	9.4 kW
Inboard Engine (Optional)	54 HP	40.3 kW
CE Classification	A 10	A 10

Glenn Henderson and the Hunter Design Team

*All measurements are approximate and subject to change without notice

Standards and Options

Reefing System, Dual Single Line Led Aft Inboard Jib Tracks w/Adjustable Cars Internal Halyards Led To Cockpit Internal Halyards Led To Cockpit
Jib Furling System
Jib, 110% Furling w/Acrylic Sun Cover
Mainsail, Full Roach w/Flaking System and Sail Cover
Mainsheet Purchase System, Lead to Cabin Top
Mast, Selden®, B&R w/Fractional Sailplan
Rigging Line Stoppers and Organizers, Two Sets Traveler, Arch Mounted for Mainsheet Winch Handles (2) Winch, (1) Rigging, 2-Speed Self Tailing, #40 Winch, (1) Rigging, 2-Speed Self Tailing, #46 Winches, (2) Jib at Helm, 2-Speed, Self-Tailing #44 Windex Wind Indicator

DECK/HULLAnchor Roller, Double Offset
Anchor Well w/Space for Rode and Chain
Anchor Windlass, Electric Bow Pulpit, Stainless Steel Cockpit Traveler Arch™, Stainless Steel w/Mainsheet Traveler Deck Handrails, Stainless Steel Deck Handrais, Stainless Steel
Dorade Vents (2)
Fresh Water Hook-Up, Dockside
Hatches, (6) Opening Deck w/Screens
HKT Kevlar Hull Reinforcement
Hull, RRP/ Balsa Sandwich Above Waterline, Solid FRP bottom Structural Grid Reinforcement Keel, Shoal Draft Lifelines, Double w/Three Gates and Stainless Stanchions Locker, (1) Transom Storage
LPG Tank Storage for (2) Bottles LPG Tank Storage for (2) Bottles
Maxguard® Gelcoats for UV Protection
Mooring Cleats, (8) Stainless Steel
Nonskid Deck
Ports, (2) Fixed
Ports, (6) Opening w/ Screens
Rubrail, w/Stainless Steel Insert
Rudder, Balanced Spade w/Stainless Steel Shaft
Swim Platform w/Stainless Steel Telescoping Ladder
Through Bolted Hull to Deck Joint w/Full Rubrail
Through-Hull Fittings, All Bronze Below Waterline
Windshield Fixed Ports, w/Cover

COCKPIT

Steering Console with Single Lever, Engine Control, Wheel Brake, Lighted Compass, Space for Instruments, Stainless Guard and Lewmar Direct Drive Steering System Bilge Pump, Manual Cockpit Traveler Arch™, Stainless Steel w/Mainsheet Traveler Cockpit Grabrail w/Integral Fold-Out Table Halyard Tail Storage Wells Helm Seat, Hinging helini Sedi, miliging
Lockers, (3) Cockpit Storage
Stern Rail Seats w/Drink Holders
Transom Shower, Hot & Cold
Walk-Through Transom w/Swim Platform

FORWARD CABIN

Cabin Lighting
Electrical Outlets, AC and DC
Hanging Locker, (1) Cedar Lined
Hatch, Deck, (1) Opening w/Screen Head, Private w/Shower Mattress, Innerspring Shower Sump Pump Smoke and Carbon Monoxide Detectors Storage Cabinets (3) & Storage Drawers (2) Storage Shelving & Storage Under Berth Vanity, Ensuite w/Corian Countertop and Storage Cabinets

AFT CABIN

Berth, Queen Mattress Innerspring w/ Bedding Pkg Cabin Lighting

Designer Bedding Fabrics Electrical Outlets, AC and DC Hanging Locker, (1) Cedar Lined Headboard, Podded Ports/Hatches, (3) Opening w/Screens Private Entrance to Head Storage Drawers/Bins (5) Around Bed Vanity w/Corian Countertop and Mirror

MAIN SALON

Accord Shades Cabin Lighting Courtesy Floor Lighting
Deck Side Windows, (4) Fixed w/Shades
Deck Windshield Ports, Fixed
Deluxe Cushion/Fabric Package Dinette Table Convertable to Berth Dinette lable Convertable to Berth
Dinette Table, High Gloss
Dorade Vent (1)
Electrical Outlets, AC and DC
Everwear® Laminate Sole
Gloss Finish "Cherry" Woodwork
Handrails, Hardwood On Both Sides
Hatch (1) Dock Donains w Hatch, (1) Deck, Opening w/Screens Selected Hardwood Trim Smoke and Carbon Monoxide Detectors Storage Lockers on Hull Sides Storage Shelving

Hatch, (1) Deck, Opening Dish Setting Pkg for 6 Electrical Outlet, AC

NAVIGATION STATION Adjustable Chart Light Chart Table, Opening
Electrical Outlets, AC & DC and Phone Jack Seat, Wood, Contoured w/Storage Space for Electronics Storage Cabinets

GALLEY Corian Countertops w/Backsplash

Faucet, Chrome Pull Out Dual Function Fresh Water System, Pressurized, Hot and Cold riesh warer System, Pressonzed, not and Cold Microwave Ports, (2) Opening, w/Screens Refrigerator, Front-Opening, Stainless Steel Sinks, Double Stainless Steel w/Cutting Board Storage Bin Under Sole Storage Cabinets (2) Storage Drawers (5) Storage Pantry w/Shelving Storage Shelving

Stove, Two Burner LPG Gimballed w/Oven

AFT HEAD

Waste Bin, Built-In

Access Door, Dual Electrical Outlets, AC and DC Hatches, (2) Deck Ports, (2) Opening, Frosted Shower Stall w/Adjustable Shower Head, Seat & Sump Pump Storage Compartments

SYSTEMS/ELECTRONICS
12-Volt DC Electrical System w/Breaker Panel
40 HP Yanmar Diesel Aux Engine w/Two Blade Propeller Alternator, 80-Amp Alternator, 80-Amp
Battery Box, Engine Start
Battery Boxes, (3) House, Size 4D
Battery Charger, 50-Amp
Bilge Pump, Manual
Bilge Pump, Electric, Primary 1500 GPH
Bilge Pump, Electric, Secondary 4000 GPH w/Alarm
Cable TV and Phone Jacks
Engine Panel, Deluxe w/Gauges, Hour Meter and Alarm
Fresh Water System, Pressurized, Hot and Cold
Gauges, Tank for Fuel, Water, and Waste Isolation Transformer

Lights, Deck and Anchor Navigation Light Package NMMA Certification On All Systems Propane Gas System for Cooking Raymarine ST-60 Speed and Depth Shore Power System, 120 Volt w/ Cord Stereo AM/FM w/CD Player Sump Pumps, Shower VHF Radio w/DSC and Stainless Steel Antenna Waste Holding Tank w/Macerator Pump Water Heater, 11 Gallon X-Change-R Oil Change System

GENERAL SAFETY

Air Horn Anchor and Line Carbon Monoxide and Smoke Detectors **Emergency Tiller** Fire Extinguishers, (2) Handheld Fire Extinguishing System, Automatic In Engine Room Fog Bell GFI Receptacles Hand-Held Flares High-Bilge Water Alarm and Pump NMMA Certification On All Systems Reference Book, Chapman's Piloting Throwable Floatation Cushion

OPTIONS

Air Conditioning System
Alternator Upgrade, 100 Amp
Barrier Coat, Epoxy w/Bottom Paint
Bimini Top Bottom Paint Boom Vang, Solid (incl w/ In-Mast Furling Option) **Row Thruster**

Cockpit Cushions Davit System

Deck Salon Includes Raised Deck, Ports, Floors Deep Keel

Dodger, Canvas
Dynaplate® Grounding System (For SSB radio)
Electric Rigging Winch Upgrade (Starboard Cabin Top)
Engine Upgrade to 54 hp (m)
Freezer, Front Opening, Stainless Steel (m)

Furling Boom Generator Fischer Panda® 6.0 Max Rated KW In-Mast Furling System (m) Inverter (m)

Leaf, Removable for Dinette Table (m)

Leather Interior Cushions Painted Hull

Propeller, Three-Blade

Propeller, Inree-Blade
Quiet-Flush Head System
Radar Module w/ Antenna for C/E Series MFD
Raymarine® 7000+ Autopilot
Raymarine® C-80 or C-120 MFD w/GPS at Helm
Raymarine® E-80 & 120 MFD w/GPS at Helm and Nav Station
Raymarine® ST-60 Wind (m)
Raymarine® Wireless Autopilot Controller
Shada Packagos Supreme (m)

Shade Package, Supreme (m)
SIRIUS® Stereo Receiver and Antenna
Spare Rudder System

Spinnaker Gear

Spinnaker Geur
Steering Mheel, Folding, Lewmar® (m)
Steren, Bose® 3•2•1® Ent. System Upgrade (Main Cabin) (m)
Stereo, Cockpit AM/FM/CD w/Arch Speakers
Stereo, Stateroom AM/FM/CD w/Speakers Stove, Upgrade to Three Burner Tri-Cabin Version

TV for Main Salon, 15" Flat Panel (m)
TV for Staterooms, Flat Panel w/DVD Player
Vertical Battens for In-Mast Furling

VHF Remote MIC at Helm

(m) = mariner package



Route 441 . Post Office Box 1030 . Alachua, Florida USA 32615 (386) 462-3077 • Fax (386) 462-4077 • Toll Free US Only: (800) 771-5556

www.huntermarine.com • email: sales@huntermarine.com • customerservice@huntermarine.com

9/07 - 12M

Hunter Warine reserves the rights to modify or change, without notice, any materials, specifications, equipment and/or accessories. All measurements are approximate. Standard equipment may vary for products sold outside the United States. Photography may show optional equipment, fabrics and / or configurations





